

Lexmark X422 MFP



- **Small, space-saving design for space-limited areas**
- **Easy-to-use operator panel**
- **Print, copy, fax and scan in one integrated device**
- **30-sheet ADF standard for multi-page faxing and copying**

LEXMARK[™]

Lexmark X422 MFP



- Share print, copy, fax, scan and e-mail capabilities with your business workgroup
- Intelligent job management includes job interrupt and job prompting
- Automated shortcuts with customizable icons and dynamic input simplify document flow
- The robust design, reliability and performance required for a small workgroup


Product Specifications

Part Number	US/Canada: 16L0000
Product Class	Desktop/small workgroup laser MFP
Print Speed	Up to 22 ppm
Print Resolution	1200 image quality, 600 x 600 dpi, 300 x 300 dpi
Processor	300 MHz
Memory (std./max.)	128MB/384MB
Connectivity	
Standard	Ethernet, USB
Optional	Wireless (with network attachment)
Network Mgmt. Utility	MarkVision Professional
Operating Systems	Windows, Linux, UNIX, Mac, NetWare and OS/400 For a complete list, visit www.lexmark.com.
Printer Languages	PostScript 3 and PCL 6 emulations, PPDS Migration Tool and direct PDF v1.2/v1.3 printing
Fonts	PCL: 89 scalable, 2 bitmapped. Includes OCR-A and OCR-B, Code 3 of 9 bar codes; PostScript: 91 scalable; PPDS: 39 scalable, 5 bitmapped
Copy	Speed: 22 cpm ¹ ; Collation; Paper saver (2-up and 4-up); Reduce/enlarge (25% to 400%); Darkness adjustment; Original size to output size selection (letter - A4, A4 - letter, legal - letter, legal - A4); Copy select 1-999; Job interrupt; Date/time stamp; Simple duplex; Message overlay
Fax	Speed: 33.6 Kbps; Group fax, delayed send, broadcast; Darkness adjustment; Fax confirmation sheet with reduced first page; Receive to memory; Send fax from PC; Up to 800 shortcut keys; Compatible with the following fax server systems: Biscom, Equisys, Omtool, RightFax
Scan	Color/mono flatbed scanner with 50-sheet automatic document feeder; 600 x 600 dpi optical resolution; TWAIN compliant; Scan to PC, FTP and e-mail; TIFF, JPEG, PDF and PostScript file formats; Up to 800 shortcut keys
Scan Size	ADF minimum: 4.5 in. x 5.5 in. (114 mm x 140 mm); ADF maximum: 8.5 in. x 14 in. (216 mm x 355 mm); Flatbed maximum: 8.5 in. x 11.7 in. (216 mm x 297 mm)
Size (WxDxH)	19.5 in. x 16.25 in. x 21.25 in. (495.3 mm x 412.75 mm x 539.75 mm)
Weight	45 lb. (20.41 kg)
Printer Duty Cycle	Up to 50,000 pages per month
Warranty	1-year LexOnSite SM

Media Specifications

Paper Capacity (sheets)	
Standard Input	350 (250-sheet tray, 100-sheet MPT)
Maximum Input	850 (500-sheet tray, 250-sheet tray, 100-sheet MPT)
Output	150 or 20 (150-sheet top or 20-sheet rear)
Paper Sources	
Standard Input	2
Maximum Input	3
Output	1 top or 1 rear
Two-Sided Printing	Standard
Media Types	Plain paper, card stock, envelopes, transparencies, paper labels
Media Sizes	Letter, legal, A4, A5, B5, folio, executive, statement, universal (3 x 5 in. to 9 x 14 in.) and envelopes (7 3/4, 9, 10, DL, C5, B5)
Media Weights	16 to 43 lb. (60 to 163 g/m ²); Card stock: up to 90 lb. Index (163 g/m ²)

In the Box



Lexmark X422 MFP


- Lexmark X422 MFP
- 6,000-page Print Cartridge
- Setup/Pointer Instruction Sheet
- Operator Panel Overlay
- Telephone Cable
- Power Cable
- Publications CD
- Drivers, MarkVision and Utilities CD
- Document Manager CD

Lexmark X422 MFP

Supplies & Accessories

Supplies²	12,000-page High Yield Return Program Print Cartridge	12A4715
	12,000-page High Yield Print Cartridge	12A3715
	6,000-page Return Program Print Cartridge	12A4710
Memory/Flash Options	8MB SDRAM	16H0055
	16MB SDRAM	16H0056
	32MB SDRAM	16H0057
	64MB SDRAM	16H0058
	128MB SDRAM	16H0059
	16MB Flash Card ³	11K4616
	32MB Flash Card ³	11K4632

Paper Handling Options³



- Duplex Unit, internal (standard)
- 100-sheet Multipurpose Tray (standard)
- 250-sheet Drawer (standard)
- 250-sheet Drawer (16H0300)
OR 500-sheet drawer (16H0301)

Options not pictured:
250-sheet Tray (16H0302)
500-sheet Tray (16H0303)

Additional Information

- ¹ “Scan once, print many” operation
- ² Yield is based on approximately 5% print coverage
- ³ One flash memory slot available
- ⁴ Displays all available options for **base** model

Lexmark X422 MFP

Additional Accessories

Paper Handling Options	250-sheet Drawer	16H0300
	500-sheet Drawer	16H0301
	250-sheet Tray	16H0302
	500-sheet Tray	16H0303
Optra Forms Solutions	Optra Forms Manager	11N0056
	Optra Forms Software	11N0040
	Optra Forms Director	11N0052
	Optra Forms 16MB Flash Card	11G0747
	Optra Forms 32MB Flash Card	11G0748
Cables	2-meter USB printer cable	12A2405
Font Options	Korean Font Card	10G0743
	Simplified Chinese Font Card	10G0744
	Traditional Chinese Font Card	10G0745
	Japanese Font Card	10G0746

Lexmark, Lexmark with diamond design and LexOnSite are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. Optra Forms is a trademark of Lexmark International, Inc. Mac OS and the Mac logo are trademarks of Apple Computer, Inc., registered in the U.S. and other countries. PCL is a registered trademark of Hewlett-Packard Company. The USB-IF logos are trademarks of Universal Serial Bus Implementers Forum, Inc. All other trademarks are the property of their respective owners. © 2004. Lexmark International, Inc. All rights reserved.

71K6527



Printed on recycled paper.

